

## Desktop

Monitor for on table installation

---



### FEATURES

- Manually adjustable tilt angle
- Fully aluminium frame
- Compact design
- Optimised height
- Maintenance free
- HDCP compliant
- Energy saving design
- Easy to install

### GENERAL

Desktop displays have been designed to be installed on tables or desks where a short vertical dimension is required.

Elegant desktop monitors are manufactured in solid milled aluminium with a light tilting base and anodised finish. If you need a small monitor, with optimised height to be used in institutions, reception areas and information counters, Desktop is just the most exclusive solution.

Desktop monitors are available in 12" and 17" (widescreen format) and in 15" (4:3 format).

## TECHNICAL SPECIFICATIONS

### Display

Size	15" TFT Active Matrix
Resolution	1024 (h) x 768 (v)
Brightness	400 cd/m2
Contrast ratio	700:1
Pixel	0.297 (h) x 0.297 (v) mm
Viewing angle	70° / 70° (u/d) / 80° / 80° (l/r)
Viewing area	304.1 (h) x 228.1 (v) mm
LED backlight lifespan	50.000 hrs
Response time	Tr 5 ms, Tf 11 ms
Temperature <i>(operating/storage)</i>	Operating 0°C – +40°C Storage -20°C – +60°C

### Materials

Cabinet	Aluminium
---------	-----------

### Connectivity

Input signal	DVI-I (1 input) – HDCP Compliant DVI-D (1 input) – HDCP Compliant
--------------	--

### Electrical

Low voltage <i>(external power supply)</i>	100-240Vac, 47/63Hz, 12Vdc
Power consumption	50W

### Mechanical

Monitor Dimensions:	
Dimensions with stand	356 x 289 x 99 mm [14.00"x11.37"x3.91"]
Dimensions without stand	356 x 280 x 33 mm [14.00"x11.01"x1.30"]
Weight	6.2 Kg / 13.6 lbs
Shipping Dimensions:	
Weight	7.2 Kg / 15.8 lbs
Shipping Box	430 x 370 x 170 mm


## CERTIFICATIONS

- CE

## WARRANTY

- 2 years general warranty

## CONNECTIVITY PANEL



### CONNECTIVITY

- 1- DVI-1 / DVI-A video input - analog /digital
- 2- DVI-2 video input - digital
- 3- 12 D.C. power supply input

## ARCHITECT'S SPECIFICATIONS

Professional 15" desktop monitor. Solid block of aluminium monitor housing in natural anodized finishing, with square corners design. Desk mounting and connection. Adjustable tilt angle. Very low profile. DVI-I and DVI-D connectors. HDCP compliant input. External power supply.

ARTHUR HOLM

Albiral Display Solutions SL · Fàtima, 25 Sant Hipòlit de Voltregà 08512 Bcelona, Spain · +34 938 502 376 · marketing@arthurholm.com  
www.arthurholm.com

Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

