

## Rise

### Wall mount display



Brushed stainless steel



Aluminium



Glass

### FEATURES

- On- wall installation
- Brushed stainless steel/ Aluminium/ Glass front frame (depending on the model)
- Integrated wall mount

- Security anti-theft locking system
- Maintenance free
- HDCP compliant
- Easy to install
- Energy saving design

### GENERAL

Rise displays have been designed to be wall mounted.

Rise displays are available in several sizes, from 12" to 22" and finished in glass with black marking, brushed stainless steel or in aluminium. This compact monitor range comprises full stand-alone monitors with external power supply and integrated wall mounts with security locking to prevent theft. Rise monitors fit onto standard wall brackets.

# AH19RI / AH19RA / AH19RG Wide FHD

## TECHNICAL SPECIFICATIONS

### Display

Size	18,5" Full HD
Resolution	1920 (h) x 1080 (v)
Brightness	400 cd/m2
Contrast ratio	1500:1
Pixel	0.213 (h) x 0.213 (v) mm
Viewing angle	85° / 85° (u/d) / 85° / 85° (l/r)
Viewing area	408.96 (h) x 230.04 (v) mm
LED backlight lifespan	50.000 hrs
Response time	Tr + Tf 35 ms
Temperature (operating/storage)	Operating 0°C – +40°C Storage -20°C – +60°C

### Materials

Cabinet	Available with front in aluminium (A), stainless steel (I), or glass (G)
---------	--

### Connectivity

Input signal	DVI-I (1 input) – HDCP Compliant DVI-D (1 input) – HDCP Compliant
--------------	--

### Electrical

Lowv voltage (external power supply)	100-240Vac, 50/60Hz, 12Vdc
Power consumption	55W

### Mechanical

Dimensions	488 x 335 x 69 mm [19.21"x13.19"x2.72"]
Weight	7.2 Kg / 15.87 lbs
Shipping Dimensions:	
Weight	8.2 Kg / 18.07 lbs
Shipping Box	575 x 455 x 170 mm

## OPTIONS

- Touch screen
- Integrated industrial PC
- RS-232 remote control


## CERTIFICATIONS

- CE

## WARRANTY

- 2 years general warranty

## CONNECTIVITY PANEL



### CONNECTIVITY

- 1- Power input
- 2- DVI 2 video input
- 3- DVI 1 / DVI A video input

## ARCHITECT'S SPECIFICATIONS

Professional 18,5" Wide FHD on-wall monitor. Frame available in aluminium, stainless steel or glass. DVI-I and DVI-D connectors. HDCP compliant inputs. Easy mounting, no need special bracket to install. External power supply.




ARTHUR HOLM

Albiral Display Solutions SL · Fàtima, 25 Sant Hipòlit de Voltregà 08512 Bcelona, Spain · +34 938 502 376 · marketing@arthurholm.com  
www.arthurholm.com

Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

GENERAL DIMENSIONS

AH19RI / AH19RA / AH19RG Wide FHD



ARTHUR HOLM

Albiral Display Solutions SL. · Fàtima, 25 Sant Hipòlit de Voltregà 08512 Bcelona, Spain · +34 938 502 376 · marketing@arthurholm.com  
www.arthurholm.com

Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.