


AH1

Professional HDCP compliant aluminum manually foldable monitor



Highlights

- Professional manually foldable monitor
- Milled anodized aluminum housing
- Manually foldable from 0° to 70°
- Stepless viewing position
- Double-sided anti-reflective glass
- Auto-Stand-By
- Easy to install
- USB passthrough
- Maintenance free
- Energy saving design, low consumption video controller



ARTHUR HOLM

Albiral Display Solutions SL · Fàtima 25 · 08512 Sant Hipòlit de Voltregà · Barcelona, Spain · +34 938 502 376 · marketing@arthurholm.com · www.arthurholm.com
Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

Make Your Meetings Count!

General

Arthur Holm AH1 manually foldable professional monitors are the perfect solution to create a flexible and versatile meeting environment when the space is limited. The monitor is fixed to the table surface through its black iron base, allowing the user to adjust the viewing angle of the monitor and hold the monitor in a firm viewing position.

The base hides the cable connection and guides the cables unseen away from the monitor when using the cable exit in the centre of the base or, if needed, the rear cable outlet.

The screen position can be easily adjusted from flat on the table (0°) to 70°. The monitor includes a USB passthrough from the side.

Technical Specifications

Display

| | |
|----------------|---|
| Size | Full HD 17.3" TFT Active Matrix, widescreen format. LED backlight |
| Resolution | 1920 (h) x 1080 (v) |
| Brightness | 400cd/m2 |
| Contrast ratio | 600:1 |
| Pixel | 0.1989 (h) x 0.1989 (v) mm |
| Viewing angle | 60°/ 80° (u/d) 80°/ 80° (l/r) |
| Viewing area | 381.888 (h) x 214.812 (v) mm |
| Response time | Tr + Tf = 40ms |
| Temperature | Operating 0° ~ +40°C Storage -20° ~ +60°C |

Materials

| | |
|-----------------|---|
| Monitor housing | Milled aluminum with anodized finishing |
| Glass | Anti-reflective 2-side coating 3mm black edged glass |

Connectivity

| | |
|--------------|-------------------------------|
| Input signal | HDMI (1 input) HDCP compliant |
|--------------|-------------------------------|

Electrical

| | |
|-----------------------|----------------------------|
| External power supply | 100-240Vac, 47/63Hz, 12Vdc |
| Power consumption | 50W |

Mechanical Dimensions

subject to change without previous notice

| | |
|---------|--|
| Monitor | 414 x 275.97 x 19mm [16.30" x 10.86" x 0.75"] |
|---------|--|



Options

- Projected capacitive multi-touch screen

Certifications

- CE
- IECEE
- CB

Warranty

- 2 years general warranty

Consultants, architects and engineers specifications


The monitor shall provide a manually adjustable position from 0° to 70°. The monitor housing shall be made of anodized aluminum with an anti-reflective 2-side coating 3mm black edged glass. The monitor shall provide one black iron base with hidden cables and no visible screws.

The 17.3" Full HD monitor shall have a brightness of 400cd/m2 and a contrast ratio of 600:1. The monitor shall provide 1 HDMI HDCP input by a licensed HDCP manufacturer from the side.


General dimensions

AH17TXHDGA B

UNFOLD 70°



FOLD 0°



ARTHUR HOLM

Albiral Display Solutions SL · Fàtima 25 · 08512 Sant Hipòlit de Voltregà · Barcelona, Spain · +34 938 502 376 · marketing@arthurholm.com · www.arthurholm.com
Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

Make Your Meetings Count!