

RISE

HDCP compliant aluminium monitors for on-wall installation



Highlights

- **Integrated wall mount**
- **Premium Build:** Milled black anodized aluminum.
- **Seamless Integration:** On-wall installation and integration.
- **Double-sided anti-reflection glass:** Clear, legible content from every angle.
- **Maintenance Free:** Reliable and hassle-free in high-traffic areas.
- **Effortless Setup:** Quick and easy to install.
- **Energy saving design:** Low-consumption video controller for sustainable operation.
- Available for **landscape** and **portrait** installations.

General Description

Rise monitors bring information to life, floating elegantly in any space. Perfectly positioned outside conference or purpose-built rooms, they capture attention and guide attendees effortlessly. Displaying session details, schedules, and key messages, Rise monitors engage users while transforming corridors and lobbies into inspiring, environments.

Robust, maintenance-free, and built for busy areas, Rise monitors blend advanced technology with sleek design, adding a smart, memorable touch to every meeting or building experience.

Technical Specifications

Display

Size	Full HD 17.3" TFT Active Matrix, widescreen format. LED backlight
Resolution	1920 (h) x 1080 (v)
Brightness	400 cd/m2
Contrast ratio	600:1
Pixel	0.1989 (h) x 0.1989 (v) mm
Viewing angle	60°/80°(u/d) 80°/80°(l/r)
Viewing area	381.888 (h) x 214.812 (v) mm
Response time	Tr + Tf = 40ms
Temperature	Operating 0°C ~ +40°C Storage -20°C ~ +60°C

Materials

Monitor housing	Milled aluminum with anodized finishing
Glass	Anti-reflective 2-side coating 2mm black edged glass

Connectivity

Input signal	HDMI (1 input) HDCP compliant
--------------	-------------------------------

Electrical

External power supply	100-240 Vac, 50/60Hz, 12Vdc
Consumption	50W

Mechanical

AH17R B L (Landscape)

Monitor Dimensions	419 x 252 x 20 mm [16.50" x 9.92" x 0.39"]
Weight	2.8Kg

AH17R B P (Portrait)

Monitor	252 x 419 x 20 mm [9.92" x 16.50" x 0.39"]
Weight	2.8Kg

Packaging Dimensions

Weight	3.70Kg
Box	450 x 415 x 80 mm

Options

- Projected capacitive multi-touch screen

Certifications

- CE
- IECEE
- CB
- RoHS

Warranty

- 2 years general warranty

Consultants, architects and engineers specifications

The 17.3" monitor shall provide Full HD resolution with a brightness of 400 cd./m2 and a contrast ratio of 600:1. The monitor shall provide 1 HDMI HDCP compliant input. Enclosure shall be constructed entirely from high-grade aluminium. Finish shall be black anodized for durability, scratch resistance, and a refined appearance. Front surface shall incorporate a protective, anti-reflective glass. The design shall be ultra-slim to enhance the floating visual effect. The monitor shall provide an integrated wall mount and all connectivity should be invisible. Mounting system shall allow wall-mounted installation with concealed fixings.

ARTHUR HOLM


Albiral Display Solutions SL · Fàtima, 25 · 08512 Sant Hipòlit de Voltregà - Barcelona, Spain · +34 938 502 376 · marketing@arthurholm.com · www.arthurholm.com
Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

MakeYourMeetingsCount

General Dimensions

AH17R B L

Rise Monitor AH17R B L (Landscape)



ARTHUR HOLM

Albiral Display Solutions SL · Fàtima, 25 · 08512 Sant Hipòlit de Voltregà - Barcelona, Spain · +34 938 502 376 · marketing@arthurholm.com · www.arthurholm.com


Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

MakeYourMeetingsCount

General Dimensions

AH17R B P

Rise monitor AH17R B P (Portrait)



ARTHUR HOLM

Albiral Display Solutions SL · Fàtima, 25 · 08512 Sant Hipòlit de Voltregà - Barcelona, Spain · +34 938 502 376 · marketing@arthurholm.com · www.arthurholm.com

Arthur Holm is a registered brand of Albiral Display Solutions SL. Specifications subject to change without previous notice.

MakeYourMeetingsCount